



Yuyao Runye Tools Co.,Ltd

Yuyao Runye Tools Co.,ltd is a professional supplier of electrical and petrol gardening products such as Clip shredder, Hedge trimmer, Grass trimmer, Lawn mower, Blower Vacc, Tiller, Scarifier, Snow thrower, Weed sweeper, Thermal weeder, Multi-brush, etc. With many years of experience in this field, we can provide you reliable products with competitive prices. Our main market is Europe, we work with professional importers such as HECHT,GUDE, etc. Your satisfaction is our goal, your success is our success.



Petrol lawn mower



16inch garden machines garden tools Hand Push gasoline/petrol lawn mower

Engine Type: Sinharbour-SG300 (OHV) Cylinder Capacity: 79cc Engine power: 1.4kW@3000rpm Drive type: Hand Push Working width: 41cm (16inch) Housing: steel Cutting height adjustment: 25-75mm (7 position central) Wheel size: Front/Rear: 6"/6" Whole textile catcher: 40L 2 in 1 function: 1.Rear collection, 2.Rear discharge

[View more >](#)



18inch garden machines garden tools Self-propelled BN46XMH-LC139 HT gasoline /petrol lawn mower

Engine Type: LONCIN, OHV Cylinder Capacity: 139cc Engine power: 2.4kW@2800rpm Drive type: Self-propelled Working width: 46cm (18inch) Housing(chassis): steel Cutting height: 25-75 mm (8 position central) Wheel size: Front/Rear: 7"/10" Collect bag with plastic top: 62L N.W./G.W.(kgs): 33.6 /35.6 4 in 1 function: 1.Rear collection 2.Side discharge 3.Mulching 4.Rear discharge

[View more >](#)

Petrol lawn mower



TradeCHINA

Professional Multi-function 20 inch Garden Lawn Mower with 4-Stroke engine

Engine Type: SHB engine, OHV Cylinder Capacity: 173cc Engine power: 3.2kW@2800rpm Drive type: Self-propelled Working width: 51 cm (20 inch) Housing(chassis): steel Cutting height: 25-75 mm (8 position central) Wheel size: Front/Rear: 8"/11" Collect bag with plastic hard top: 62 L 4 in 1: 1.Rear collection, 2.Side discharge,3.Mulching, 4.Rear discharge

[View more >](#)



TradeCHINA

21"-53cm Zero Turn Cheap Self Propelled Gasoline Grass Lawn Mower

Engine Type: LONCIN, V200D, OHV Cylinder Capacity: 196cc Engine power: 3.5kW@2800rpm Drive type: Self-propelled Working width: 53 cm (21 inch) Housing(chassis): steel Cutting height: 25-75 mm (8 position, central adjustment) Wheel size: Front/Rear: 8"/11" Collect bag with plastic hard top: 62 L 4 in 1: 1.Rear collection, 2.Side discharge, 3. Mulching, 4.Rear discharge The engine can be change to other type.

[View more >](#)

Petrol lawn mower



TradeChina

22"(56 cm) heavy-duty Self Propelled Gasoline Petrol Lawn Mower

Engine Type: LONCIN, LC196 OHV Cylinder
Capacity: 196 cc Engine power: 3.5kW@2800rpm
Drive type: Self-propelled Working width: 56 cm (22 inch) Housing(chassis): steel Cutting height: 30-90 mm (8 position, central adjustment) Wheel size: Front/Rear: 8"/11" Collect bag with plastic hard top: 62 L 4 in 1: 1.Rear collection, 2.Side discharge, 3. Mulching, 4.Rear discharge The engine can be changed as your need.

[View more >](#)



TradeChina

HG41PL-08P6, 16"(41cm) garden machines garden tools Hand Push gasoline/petrol lawn mower

Engine Type: BS (OHV) Cylinder Capacity: 125cc
Engine power: 1.69kW Drive type: Hand Push
Working width: 41cm (16inch) Housing: steel Cutting height adjustment: 25-75mm (7 position central)
Wheel size: Front/Rear: 6"/6" Whole textile catcher: 40L 2 in 1 function: 1.Rear collection, 2.Rear discharge Antistall, Folding Handle, Forced Air Cooling, Grass Box, Height Adjustable Handles, Steel Chasis

[View more >](#)

Petrol lawn mower



HG41PP-Y, 16inch, 41cm garden machines garden tools Hand Push gasoline/petrol lawn mower

Engine Type: Sinharbour-SG300 (OHV) Cylinder Capacity: 79.6cc Engine power: 1.3kW@3000rpm Drive type: Hand Push Working width: 41cm (16inch) Housing(chassis): plastic Cutting height adjustment: 25/40/60 mm, 3 levels Wheel size: Front/Rear: 6"/6" Whole textile catcher: 40L N.W/G.W: 17/19 kgs 2 in 1 function: 1.Rear collection, 2.Rear discharge Container(20GP / 40GP / 40HQ): 246/510/594

[View more >](#)



HG41S-LC123, 16"(41cm) garden machines garden tools Self-propelled gasoline /petrol lawn mower

Engine Type: LONCIN (OHV) Cylinder Capacity: 123cc Engine power: 2.1kW Drive type: Self propelled Working width: 41cm (16inch) Housing: steel Cutting height adjustment: 25-75mm (7 position central) Wheel size: Front/Rear: 6"/8" Whole textile catcher: 40L 2 in 1 function: 1.Rear collection, 2.Rear discharge Container(20GP / 40GP / 40HQ): 195 / 410 / 492 pcs

[View more >](#)

Petrol lawn mower



HG41PH-08P6, BS engine 16"(41cm) garden machines garden tools hand push gasoline/petrol lawn mower

Engine Type: B&S (OHV) Cylinder Capacity: 125cc
Engine power: 1.69kW Drive type: hand push
Working width: 41cm (16inch) Housing: steel Cutting
height adjustment: 25-75mm (7 position central)
Wheel size: Front/Rear: 6"/8" Whole textile catcher:
40L 2 in 1 function: 1.Rear collection, 2.Rear
discharge Container(20GP / 40GP / 40HQ): 195 / 410
/ 492 pcs

[View more >](#)



HG41S-08P6, 16"(41cm) garden machines garden tools Self-propelled BS engine lawn mower

Engine Type: B&S, (OHV) Cylinder Capacity: 125cc
Engine power: 1.69kW Drive type: Self propelled
Working width: 41cm (16inch) Housing: steel Cutting
height adjustment: 25-75mm (7 position central)
Wheel size: Front/Rear: 6"/8" Whole textile catcher:
40L 2 in 1 function: 1.Rear collection, 2.Rear
discharge Container(20GP / 40GP / 40HQ): 195 / 410
/ 492 pcs

[View more >](#)

Petrol lawn mower



HG41PP-DK125, 125cc engine 16"(41cm) garden machines garden tools hand push gasoline/petrol lawn mower

Engine Type: SHB (OHV) Cylinder Capacity: 125cc
Engine power: 1.9kW Drive type: hand push Working
width: 41cm (16inch) Housing(chassis): plastic
Cutting height adjustment: 25-75mm (7 position
central) Wheel size: Front/Rear: 6"/6" Whole textile
catcher: 40L 2 in 1 function: 1.Rear collection, 2.Rear
discharge

[View more >](#)



HG41P4-DK125, 125cc engine 16"(41cm) garden machines garden tools hand push gasoline/petrol lawn mower

Engine Type: SHB (OHV) Cylinder Capacity: 125cc
Engine power: 1.9kW Drive type: hand push Working
width: 41cm (16inch) Housing(chassis): steel Cutting
height adjustment: 25-75mm (7 position central)
Wheel size: Front/Rear: 6"/6" Whole textile catcher:
40L 2 in 1 function: 1.Rear collection, 2.Rear
discharge

[View more >](#)

Petrol lawn mower



HG41P4-08P6, 125cc engine 16"(41cm) garden machines garden tools hand push gasoline/petrol lawn mower

Engine Type: SHB (OHV) Cylinder Capacity: 125cc
Engine power: 2.8kW Drive type: hand push Working
width: 41cm (16inch) Housing(chassis): plastic
Cutting height adjustment: 25-60mm Wheel size:
Front/Rear: 6"/6" Whole textile catcher: 40L 2 in 1
function: 1.Rear collection, 2.Rear discharge

[View more >](#)



BN41PP-Y(SG350), 99cc engine 16"(41cm) garden machines garden tools hand push gasoline/petrol lawn mower

Engine Type: SHB (OHV) Cylinder Capacity: 99cc
Engine power: 1.6kW Drive type: hand push Working
width: 41cm (16inch) Housing(chassis): plastic
Cutting height adjustment: 25-75mm, 7 levels,
central adjustment Wheel size: Front/Rear: 6"/6"
Whole textile catcher: 40L 2 in 1 function: 1.Rear
collection, 2.Rear discharge

[View more >](#)

Petrol lawn mower



HG41PP4-LC123, 123cc engine 16"(41cm) garden machines garden tools hand push gasoline/petrol lawn mower

Engine Type: LONCIN (OHV) Cylinder Capacity: 123cc Engine power: 2.1kW Drive type: hand push Working width: 41cm (16inch) Housing(chassis): plastic Cutting height adjustment: 25/40/55mm, 3 levels, 4 wheel single adjustment Wheel size: Front /Rear: 6"/6" Whole textile catcher: 40L 2 in 1 function: 1.Rear collection, 2.Rear discharge

[View more >](#)



BN41PP-LC123, 123cc engine 16"(41cm) garden machines garden tools hand push gasoline/petrol lawn mower

Engine Type: LONCIN (OHV) Cylinder Capacity: 123cc Engine power: 2.1kW Drive type: hand push Working width: 41cm (16inch) Housing(chassis): plastic Cutting height adjustment: 25-75mm, 7 levels, central adjustment Wheel size: Front/Rear: 6" /6" Whole textile catcher: 40L 2 in 1 function: 1.Rear collection, 2.Rear discharge

[View more >](#)

Petrol lawn mower



BN41PP4-NP130, 132cc engine 16\"(41cm) garden machines garden tools hand push gasoline/petrol lawn mower

Engine Type: (OHV) Cylinder Capacity: 132cc
Engine power: 2.2kW Drive type: hand push Working
width: 41cm (16inch) Housing(chassis): plastic
Cutting height adjustment: 25-40-55mm,3 levels, 4
wheel single adjustment Wheel size: Front/Rear: 6\"
/6\" Whole textile catcher: 40L 2 in 1 function: 1.Rear
collection, 2.Rear discharge

[View more >](#)



BN41PPS-SG350, 99cc engine 16\"(41cm) garden machines garden tools self- propelled gasoline/petrol lawn mower

Engine Type: SHB (OHV) Cylinder Capacity: 99cc
Engine power: 1.6kW Drive type: hand push Working
width: 41cm (16inch) Housing(chassis): plastic
Cutting height adjustment: 25-75mm,7 levels,
central adjustment Wheel size: Front/Rear: 6\"/6\"
Whole textile catcher: 40L 2 in 1 function: 1.Rear
collection, 2.Rear discharge

[View more >](#)

Petrol lawn mower



HG41S-RV80, 79cc RATO engine 16"(41cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: RATO (OHV) Cylinder Capacity: 79cc
Engine power: 1.7kW Drive type: self-propelled
Working width: 41cm (16inch) Housing(chassis): steel Cutting height adjustment: 25-75mm, 7 levels, central adjustment Wheel size: Front/Rear: 6"/8"
Whole textile catcher: 40L 2 in 1 function: 1.Rear collection, 2.Rear discharge 195 / 410 / 492 in 20GP /40GP/40HQ container

[View more >](#)



HG41S-300, 79cc engine 16"(41cm) garden machines garden tools hand push gasoline /petrol lawn mower

Engine Type: SHB SG300 (OHV) Cylinder Capacity: 79cc Engine power: 1.4kW Drive type: hand push
Working width: 41cm (16inch) Housing(chassis): steel Cutting height adjustment: 25-75mm, 7 levels, central adjustment Wheel size: Front/Rear: 6"/6"
Whole textile catcher: 40L 2 in 1 function: 1.Rear collection, 2.Rear discharge

[View more >](#)

Petrol lawn mower



HG41P-300, 79cc engine 16"(41cm) garden machines garden tools hand push gasoline /petrol lawn mower

Engine Type: SHB SG300 (OHV) Cylinder Capacity: 79cc Engine power: 1.4kW Drive type: hand push Working width: 41cm (16inch) Housing(chassis): steel Cutting height adjustment: 25-40-55mm,3 levels, 4 wheel single adjustment Wheel size: Front /Rear: 6"/6" Whole textile catcher: 40L 2 in 1 function: 1.Rear collection, 2.Rear discharge

[View more >](#)



HG41PP-300, 79cc engine 16"(41cm) garden machines garden tools hand push gasoline/petrol lawn mower

Engine Type: SHB SG300 (OHV) Cylinder Capacity: 79cc Engine power: 1.4kW Drive type: hand push Working width: 41cm (16inch) Housing(chassis): plastic Cutting height adjustment: 25-40-55mm,3 levels, 4 wheel single adjustment Wheel size: Front /Rear: 6"/6" Whole textile catcher: 40L 2 in 1 function: 1.Rear collection, 2.Rear discharge

[View more >](#)

Petrol lawn mower



TradeCHINA

HG46P, 139cc engine 18"(46cm) garden machines garden tools hand push gasoline /petrol lawn mower

Engine Type: SHB SG475 (OHV) Cylinder Capacity: 139cc Engine power: 2.5kW Drive type: hand push Working width: 46cm (18inch) Housing(chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 7"/8" Whole textile catcher: 50L 2 in 1 function: 1.Rear collection, 2.Rear discharge

[View more >](#)



TradeCHINA

HG46S, 139cc engine 18"(46cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: SHB SG475 (OHV) Cylinder Capacity: 139cc Engine power: 2.5kW Drive type: self-propelled Working width: 46cm (18inch) Housing (chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 7"/8" Whole textile catcher: 50L 2 in 1 function: 1. Rear collection, 2.Rear discharge

[View more >](#)

Petrol lawn mower



TradeCHINA

BN46XMH-P, 139cc engine 18\"(46cm) garden machines garden tools hand push gasoline/petrol lawn mower

Engine Type: SHB SG475 (OHV) Cylinder Capacity: 139cc Engine power: 2.5kW Drive type: hand push Working width: 46cm (18inch) Housing(chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 7\"/10\" Whole textile catcher: 62L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3.Mulching 4.Rear discharge

[View more >](#)



TradeCHINA

BN46XMH-S, 139cc engine 18\"(46cm) garden machines garden tools self- propelled gasoline/petrol lawn mower

Engine Type: SHB SG475 (OHV) Cylinder Capacity: 139cc Engine power: 2.7kW Drive type: self propelled Working width: 46cm (18inch) Housing(chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 7\"/10\" Whole textile catcher: 62L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3.Mulching 4.Rear discharge

[View more >](#)

Petrol lawn mower



TradeCHINA

BN46XMH-BS500E, 140cc engine 18" (46cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: B&S 500E (OHV) Cylinder Capacity: 140cc Engine power: 2.03kW Drive type: self propelled Working width: 46cm (18inch) Housing (chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 7"/10" Whole textile catcher: 62L 4 in 1 function: 1. Rear collection, 2.Rear discharge 3.Mulching 4.Rear discharge

[View more >](#)



TradeCHINA

BN46XMH-GCV145, 145cc engine 18" (46cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: HONDA GCVX145 (OHV) Cylinder Capacity: 145cc Engine power: 2.1kW Drive type: self propelled Working width: 46cm (18inch) Housing (chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 7"/8" Whole textile catcher: 62L 4 in 1 function: 1. Rear collection, 2.Rear discharge 3.Mulching 4.Rear discharge

[View more >](#)

Petrol lawn mower



TradeChina

HG51SMH-RV170, RATO 170cc engine 20" (51cm) garden machines garden tools hand push gasoline/petrol lawn mower

Engine Type: RATO RV170-S (OHV) Cylinder Capacity: 170cc Engine power: 2.5kW Drive type: hand push Working width: 51cm (20inch) Housing (chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 7"/10" Whole textile catcher: 62L 2 in 1 function: 1. Rear collection, 2.Rear discharge

[View more >](#)



TradeChina

HG51SMHS-RV170, RATO 170cc engine 20" (51cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: RATO RV170-S (OHV) Cylinder Capacity: 170cc Engine power: 2.8kW Drive type: self-propelled Working width: 51cm (20inch) Housing (chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 7"/10" Whole textile catcher: 62L 4 in 1 function: 1. Rear collection, 2.Rear discharge 3.Mulching 4.Side discharge

[View more >](#)

Petrol lawn mower



TradeCHINA

HG51SMH-RV170-S, RATO 170cc engine 20" (51cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: RATO RV170-S (OHV) Cylinder Capacity: 170cc Engine power: 2.8kW Drive type: self-propelled Working width: 51cm (20inch) Housing (chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 7"/10" Whole textile catcher: 62L 4 in 1 function: 1. Rear collection, 2.Rear discharge 3.Mulching 4.Side discharge

[View more >](#)



TradeCHINA

HG51SMH-RV170S-E, RATO 170cc engine 20" (51cm) garden machines garden tools self-propelled gasoline/petrol lawn

Engine Type: RATO RV170-S (OHV), Electric start Cylinder Capacity: 170cc Engine power: 2.8kW Drive type: self-propelled Working width: 51cm (20inch) Housing(chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 7"/10" Whole textile catcher: 62L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3. Mulching 4.Side discharge

[View more >](#)

Petrol lawn mower



HG51SMH-V200, LONCIN 196cc engine 20\" **(51cm) garden machines garden tools self-** **propelled gasoline/petrol lawn mower**

Engine Type: LONCIN V200(OHV), Cylinder
Capacity: 196cc Engine power: 3.5kW Drive type: self-
propelled Working width: 51cm (20inch) Housing
(chassis): steel Cutting height adjustment: 25-75mm,
8 levels, central adjustment Wheel size: Front/Rear:
7"/10" Whole textile catcher: 62L 4 in 1 function: 1.
Rear collection, 2.Rear discharge 3.Mulching 4.Side
discharge

[View more >](#)



HG51SMH-LC196, LONCIN 196cc engine 20\" **(51cm) garden machines garden tools self-** **propelled gasoline/petrol lawn mower**

Engine Type: LONCIN LC1P70FC (OHV), Cylinder
Capacity: 196cc Engine power: 3.5kW Drive type: self-
propelled Working width: 51cm (20inch) Housing
(chassis): steel Cutting height adjustment: 25-75mm,
8 levels, central adjustment Wheel size: Front/Rear:
7"/10" Whole textile catcher: 62L 4 in 1 function: 1.
Rear collection, 2.Rear discharge 3.Mulching 4.Side
discharge

[View more >](#)

Petrol lawn mower



TradeCHINA

HG51SMH-LC196E, LONCIN 196cc engine 20"(51cm) garden machines garden tools self-propelled gasoline/petrol lawn

Engine Type: LONCIN LC1P70FC (OHV), electric start Cylinder Capacity: 196cc Engine power: 3.5kW Drive type: self-propelled Working width: 51cm (20inch) Housing(chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 8"/11" Whole textile catcher: 62L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3.Mulching 4.Side discharge

[View more >](#)



TradeCHINA

HG51SMH-BS750, B&S 161cc engine 20"(51cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: B&S 750EX (DOV) Cylinder Capacity: 161cc Engine power: 2.68kW Drive type: self-propelled Working width: 51cm (20inch) Housing (chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 8"/11" Whole textile catcher: 62L 4 in 1 function: 1. Rear collection, 2.Rear discharge 3.Mulching 4.Side discharge

[View more >](#)

Petrol lawn mower



HG51SMH-BS750E, B&S 161cc engine 20" (51cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: B&S 750EX (DOV), Electric start
Cylinder Capacity: 161cc Engine power: 2.68kW
Drive type: self-propelled Working width: 51cm (20inch) Housing(chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment
Wheel size: Front/Rear: 8"/11" Whole textile catcher: 62L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3.Mulching 4.Side discharge

[View more >](#)



HG51SML-GCV170, HONDA 170cc engine 20"(51cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: HONDA GCV170 Cylinder Capacity: 170cc Engine power: 2.4kW Drive type: self-propelled Working width: 51cm (20inch) Housing (chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 7"/10" Whole textile catcher: 62L 4 in 1 function: 1. Rear collection, 2.Rear discharge 3.Mulching 4.Side discharge

[View more >](#)

Petrol lawn mower



TradeCHINA

HG53SMH-RV170-S, RATO 170cc engine 21" (53cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: RATO RV170-S Cylinder Capacity: 170cc Engine power: 2.8kW Drive type: self-propelled Working width: 53cm (21inch) Housing (chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 7"/10" Whole textile catcher: 62L 4 in 1 function: 1. Rear collection, 2.Rear discharge 3.Mulching 4.Side discharge

[View more >](#)



TradeCHINA

BN53SMH-V200, LONCIN 196cc engine 21" (53cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: LONCIN V200, OHV Cylinder Capacity: 196cc Engine power: 3.5kW Drive type: self-propelled Working width: 53cm (21inch) Housing (chassis): steel Cutting height adjustment: 25-75mm, 8 levels, central adjustment Wheel size: Front/Rear: 8"/11" Whole textile catcher: 62L 4 in 1 function: 1. Rear collection, 2.Rear discharge 3.Mulching 4.Side discharge

[View more >](#)

Petrol lawn mower



TradeCHINA

BN53SMH-LC196, LONCIN 196cc engine 21" (53cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: LONCIN LC1P70FC, OHV Cylinder Capacity: 196cc Engine power: 3.5kW Drive type: self-propelled Working width: 53cm (21inch) Housing (chassis): steel Cutting height adjustment: 25-75 mm, 8 levels, central adjustment Wheel size: Front /Rear: 8"/11" Half plastic grass catcher: 62 L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3. Mulching 4.Side discharge

[View more >](#)



TradeCHINA

BN53SMH-BS675EXi, B&S 163cc engine 21" (53cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: B&S 675EXi, OHV Cylinder Capacity: 163cc Engine power: 2.68kW Drive type: self-propelled Working width: 53cm (21inch) Housing (chassis): steel Cutting height adjustment: 25-75 mm, 8 levels, central adjustment Wheel size: Front /Rear: 8"/11" Half plastic grass catcher: 62 L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3. Mulching 4.Side discharge

[View more >](#)

Petrol lawn mower



TradeCHINA

BN53SMH-BS750, B&S 161cc engine 21\" **(53cm) garden machines garden tools self-** **propelled gasoline/petrol lawn mower**

Engine Type: B&S 750EX, DOV Cylinder Capacity: 161cc Engine power: 2.68kW Drive type: self-propelled Working width: 53cm (21inch) Housing (chassis): steel Cutting height adjustment: 25-75 mm, 8 levels, central adjustment Wheel size: Front /Rear: 8"/11" Half plastic grass catcher: 62 L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3. Mulching 4.Side discharge

[View more >](#)



TradeCHINA

BN53SMH-MA190, YAMAHA 189cc engine **21\"(53cm) garden machines garden tools** **self-propelled gasoline/petrol lawn mower**

Engine Type: YAMAHA MA190, OHC Cylinder Capacity: 189cc Engine power: 3.5kW Drive type: self-propelled Working width: 53cm (21inch) Housing (chassis): steel Cutting height adjustment: 25-75 mm, 8 levels, central adjustment Wheel size: Front /Rear: 8"/11" Half plastic grass catcher: 62 L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3. Mulching 4.Side discharge

[View more >](#)

Petrol lawn mower



TradeCHINA

HG56SMH-B, 173cc engine 22\"(56cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: Sinharbour-SG575, OHV Cylinder
Capacity: 173cc Engine power: 3.2kW Drive type: self-propelled Working width: 56cm (22inch) Housing (chassis): steel Cutting height adjustment: 30-90 mm, 8 levels, central adjustment Wheel size: Front /Rear: 8\"/11\" Half plastic grass catcher: 62 L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3. Mulching 4.Side discharge

[View more >](#)



TradeCHINA

HG56SMH-LC196, LONCIN engine 22\"(56cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: LONCIN-LC196, OHV Cylinder
Capacity: 196cc Engine power: 3.5kW Drive type: self-propelled Working width: 56cm (22inch) Housing (chassis): steel Cutting height adjustment: 30-90 mm, 8 levels, central adjustment Wheel size: Front /Rear: 8\"/11\" Half plastic grass catcher: 62 L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3. Mulching 4.Side discharge

[View more >](#)

Petrol lawn mower



HG56SMH-LC224, LONCIN engine 22" (56cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: LONCIN-LC1P75F, OHV Cylinder Capacity: 224cc Engine power: 4.5kW Drive type: self-propelled Working width: 56cm (22inch) Housing (chassis): steel Cutting height adjustment: 30-90 mm, 8 levels, central adjustment Wheel size: Front /Rear: 8"/11" Half plastic grass catcher: 62 L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3. Mulching 4.Side discharge

[View more >](#)



HG56SMH-BS675EXi, B&S engine 22" (56cm) garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: B&S - 675EXi, OHV Cylinder Capacity: 163cc Engine power: 2.68kW Drive type: self-propelled Working width: 56cm (22inch) Housing (chassis): steel Cutting height adjustment: 30-90 mm, 8 levels, central adjustment Wheel size: Front /Rear: 8"/11" Half plastic grass catcher: 62 L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3. Mulching 4.Side discharge

[View more >](#)

Petrol lawn mower



T48SMH-N173, 19"(48cm) 3 wheels garden machines garden tools self-propelled gasoline/petrol lawn mower

Engine Type: SHB,N173, OHV Cylinder Capacity: 173cc Engine power: 3.2kW Drive type: self-propelled Working width: 48cm (19inch) Housing (chassis): steel Cutting height adjustment: 30-80 mm, 6 levels, central adjustment Wheel size: Front /Rear: 7"/10" Half plastic grass catcher: 62 L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3. Mulching 4.Side discharge

[View more >](#)



T48SMH-LC166, 19"(48cm) 3 wheels garden machines garden tools self-propelled LONCIN engine petrol lawn

Engine Type: LONCIN,LC166, OHV Cylinder Capacity: 166cc Engine power: 2.9kW Drive type: self-propelled Working width: 48cm (19inch) Housing (chassis): steel Cutting height adjustment: 30-80 mm, 6 levels, central adjustment Wheel size: Front /Rear: 7"/10" Half plastic grass catcher: 62 L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3. Mulching 4.Side discharge

[View more >](#)

Petrol lawn mower



T48SMH-BS500E, 19"(48cm) 3 wheels garden machines garden tools self-propelled B&S engine petrol lawn mower

Engine Type: B&S 500E Cylinder Capacity: 140cc
Engine power: 2.03kW Drive type: self-propelled
Working width: 48cm (19inch) Housing(chassis): steel Cutting height adjustment: 25-75 mm, 6 levels, central adjustment Wheel size: Front/Rear: 7"/10"
Half plastic grass catcher: 62 L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3.Mulching 4.Side discharge

[View more >](#)



T48SMH-GCVX145, 19"(48cm) 3 wheels garden machines garden tools self-propelled HONDA engine petrol lawn

Engine Type: HONDA GCVX145 Cylinder Capacity: 145cc Engine power: 2.3kW Drive type: self-propelled Working width: 48cm (19inch) Housing (chassis): steel Cutting height adjustment: 25-75 mm, 6 levels, central adjustment Wheel size: Front /Rear: 7"/10" Half plastic grass catcher: 62 L 4 in 1 function: 1.Rear collection, 2.Rear discharge 3. Mulching 4.Side discharge

[View more >](#)

Petrol Tiller(cultivator/rotavator)



Cultivators Tiller Rotavator Tiller With Low Price farm Machine BT-FSF gasoline engine

Engine Type: FC170-1 (213cc, 6.5HP, OHV) Fuel tank: 1.2 L Furrow breath(mm): 300-600-850 Tine rotate diameter(mm): 330 Work depth(mm): 160-300 Speed: F1/N/B1 Output rotating speed: F1:160, B1: 45 Dimension: 610x425x740 mm

[View more >](#)



HG60T-N139 Gasoline Garden Cultivators 6 blades mini power hand push 6 inch wheel petrol tiller

Mini power tiller(cultivator) Engine Type: Sinharbour N139 (139cc, 2.3kW, OHV) Cutting width: 360 / 600 mm Carton dimension: 69x38x66 cm Container loading: 20GP/40GP/40HQ=144/306 /403pcs

[View more >](#)

Tree branch shredder



High quality mini tree brand wood gasoline shredder SC225-SG475

Engine Type: Sinharbour SG475 (139cc, 2.5kW, OHV) Product size: 790*435*790 mm Chipping max: 45 mm Wheel size: 8"/8" N.W / G.W : 37 / 40 kgs
Carton dimension: 79x44x79 cm Container loading: 20GP/40GP/40HQ=103/223/225 pcs REMARK: 173 cc engine is optional

[View more >](#)



High quality small tree branch gasoline shredder SC225-HP175

Engine Type: Sinharbour HP175 (174cc, 3.1kW, OHV) Chipping max: 45 mm Wheel size: 8"/8" N.W / G. W : 34.5 / 37.5 kgs Carton dimension: 77x44x77 cm
Container loading: 20GP/40GP/40HQ=104/224/225 pcs REMARK: different engine is optional

[View more >](#)

Tree branch shredder



High quality small branch electric shredder BSLD02E

Voltage/Frequency: 230-240V / 50Hz Rated power: 2600W(P40) Motor: brush motor; material of motor wire: aluminum Chipping max: 45 mm Collecting box capacity: 50L Wheel dia: 165mm N.W / G.W : 11.7 / 13 kgs Carton dimension: 53x38.5x51 cm Container loading: 20GP/40GP/40HQ= 286/588/702 pcs
REMARK:

[View more >](#)



High quality small branch electric shredder WR4002-2800

Voltage/Frequency: 230-240V / 50Hz Rated power: 2800W(P40) Motor: brush motor No-load speed (rpm) 4500 Chipping max: 45 mm Collecting box capacity: 50L N.W / G.W : 12.7 / 15 kgs Product size (mm) 1010*580*1110 Carton dimension: 59.5x38.7x56 cm Container loading: 20GP/40GP/40HQ= 280 /576/660 pcs
REMARK:

[View more >](#)

Sweeper



Snow Sweeper dust Cleaner 173 cc Gasoline Sweeper

Application: construction area, farms, road, garden, park Engine: Sinharbour's engine 173cc, 3.2 kW OHV Broom dia.: 350mm ; broom speed: 180 rev./min-350 rev./min Broom dia.: 35 cm Working width: 100 cm N.W/G.W: 79/83 kgs

[View more >](#)



High quality electric weed sweeper DT3001

1, Voltage: 230V-240V~/50Hz 2, Input Power: 150W 3, motor Style: Brush motor; Material of motor wire: Cu 4, No load speed: 1200/min 5, Max. brush diameter: 100mm 6, Cable model: H05VV-F 2x0.75mm² with VDE plug, 7, Cable standard length included quotes: 35cm Package carton size: 210x110x490mm/pc ; 505x460x440mm/ 8pcs N.W/G.W: 1.6 / 2.2 kgs ; 16/17 kgs Load Q'ty 20' /40" /40"HQ: 1980/4140/4830 pcs

[View more >](#)

Sweeper



High quality electric weed sweeper DT3000

1,Voltage: 230V-240V~/50Hz 2,Input Power: 400W
3,Motor Style: Brush motor;Material of motor wire:
Cu,Alumium 4,No load speed: 1800/min 5,Max.
brush diameter: 110mm 6,No-tools quickly
assemble and disassemble brush. 7, Main handle
with soft grip 8,Be adjusted angle auxiliary handle 9,
Telescopic long tube 10,Cable model: H05VV-F 2x0.
75mm2 with VDE plug, 11,Cable standard length
included quotes: 35cm Package carton size:
955x220x100mm/pc ; 965x460x320mm/ 6pcs N.W/G.
W: 2.2 / 2.8 kgs ; 16.8/18 kgs Load Q'ty 20' /40" /40"
HQ: 1260/2520/2880 pcs

[View more >](#)

Blower & vacuum



3 Features Dust bag 3000w Mini electric portable electric variable speed fan blower&vacuum

Electric blower/vacuum Power: 3000 W; 230-240V /50Hz Rated speed: 14000rpm Dust bag capacity: 40 L Color box dimension: 30x24.5x44 cm Container loading: 20GP/40GP/40HQ = 910/1820/2115 pcs

[View more >](#)



Single Speed 3kW small Electric 3 Function Blower Vacuum Dust Bag 40L

Electric blower/vacuum Power: 3000 W; 230-240V /50Hz Rated speed: 14000rpm Dust bag capacity: 40 L Color box dimension: 30.5x25x44 cm G.W.: 3.6 kgs Container loading: 20GP/40GP/40HQ = 910/1820 /2115 pcs

[View more >](#)

Blower & vacuum



High quality electric leaf blower/vacuum DT2200A (single speed)

1. Rated 220V-240V~, 50Hz 2. Input power: Motor Rear Power 850W 3. Rated output: 2800W 4. Motor Style: Brush motor; Material of motor wire: Cu, Aluminum 5. No load speed: 15000/min Single speed 6. Max Air Speed: 270km/h 7. Max Air volume: 13.2m³/min 8. Munching Rate: 10:1 9. Bag capacity: 35L 10. 3 in 1 function, Vacuum+Blower+Mulcher 11. Cable model: H05VV-F 2x0.75mm² with VDE plug, 12. Cable standard length included quotes: 35cm Package carton size: 440x260x330mm/pc N.W/G.W: 3.1 / 3.7 kgs Load Q'ty 20' /40" /40" HQ: 818/1700/1940 pcs

[View more >](#)



High quality electric leaf blower/vacuum DT2210 (single speed)

1. Rated 220V-240V~, 50Hz 2. Input power: Motor Rear Power 850W 3. Rated output: 2800W 4. motor Style: Brush motor; Material of motor wire: Cu, Aluminum 5. No load speed: 15000/min Single speed 6. Max Air Speed: 270km/h 7. Max Air volume: 13.2m³/min 8. Munching Rate: 10:1 9. Bag capacity: 35L 10. 3 in 1 function, Vacuum+Blower+Mulcher 11. Cable model: H05VV-F 2x0.75mm² with VDE plug, 12. Cable standard length included quotes: 35cm Package carton size: 275x250x470mm N.W/G.W: 2.65 / 3.2 kgs Load Q'ty 20' /40" /40" HQ: 950/1910/2150 pcs

[View more >](#)

Blower & vacuum



High quality electric leaf blower/vacuum DT2260 (variable speed)

1. Rated 220V-240V~,50Hz 2. Input power: Motor Rear Power 850W 3. Rated output: 2800W 4. Motor Style: Brush motor; Material of motor wire: Cu, Aluminum 5. No load speed: 9000-15000/min variable speed 6. Max Air Speed: 270km/h 7. Max Air volume: 13.2m³/min 8. Munching Rate: 10:1 9. Bag capacity: 35L 10. 3 in 1 function, Vacuum+Blower+Mulcher 11. Cable model: H05VV-F 2x0.75mm² with VDE plug, 12. Cable standard length included quotes: 35cm Package carton size: 275x250x470mm N.W/G.W: 2.65 / 3.2 kgs Load Q'ty 20' /40" /40"HQ: 950/1910/2150 pcs

[View more >](#)



High quality electric leaf blower/vacuum DT2220 (single speed)

1. Rated 220V-240V~,50Hz 2. Input power: Motor Rear Power 850W 3. Rated output: 2800W 4. motor Style: Brush motor; Material of motor wire: Cu, Aluminum 5. No load speed: 15000/min, Single speed 6. Max Air Speed: 270km/h 7. Max Air volume: 13.2m³/min 8. Munching Rate: 10:1 9. Bag capacity: 35 L 10. 3 in 1 function, Vacuum+Blower+Smash 11. Cable model: H05VV-F 2x0.75mm² with VDE plug, 12. Cable standard length included quotes: 35cm With telescopic tube function, enables user to get comfortably working height With rake on tube mouth, for cleaning and collecting leaves of stuck ground and scattered leaves Package carton size:

[View more >](#)

Blower & vacuum



High quality electric leaf blower/vacuum DT2270 (variable speed)

1. Rated 220V-240V~,50Hz 2. Input power: Motor Rear Power 850W 3. Rated output: 2800W 4. Motor type: Brush motor; Material of motor wire: Cu, Aluminum 5. No load speed: 9000~15000/min, variable speed 6. Max Air Speed: 270 km/h 7. Max Air volume: 13.2m³/min 8. Munching Rate: 10:1 9. Bag capacity: 35 L 10. 3 in 1 function, Vacuum+Blower+Smash 11. Cable model: H05VV-F 2x0.75mm² with VDE plug, 12. Cable standard length included quotes: 35cm With telescopic tube function, enables user to get comfortably working height With rake on tube mouth, for cleaning and collecting leaves of stuck ground and scattered

[View more >](#)



High quality electric leaf blower/vacuum DT2250A (variable speed)

1. Rated 220V-240V~,50Hz 2. Input power: Motor Rear Power 850W 3. Rated output: 2800W 4. Motor Style: Brush motor; Material of motor wire: Cu, Aluminum 5. No load speed: 8000~15000/min Variable speed 6. Max Air Speed: 270 km/h 7. Max Air volume: 13.2 m³/min 8. Munching Rate: 10:1 9. Bag capacity: 35 L 10. 3 in 1 function, Vacuum+Blower+Mulcher 11. Cable model: H05VV-F 2x0.75mm² with VDE plug, 12. Cable standard length included quotes: 35cm Package carton size: 440x260x330mm/pc N.W/G.W: 3.1 / 3.7 kgs Load Q'ty 20' /40" /40"HQ: 818/1700/1940 pcs

[View more >](#)

Grass trimmer



250W garden tools electric portable grass trimmer HY702501

Electric grass trimmer Power: 250 W; 230-240V /50Hz Rated speed: 14000 rpm Carton size: 70x46. 5x40 cm N.W./G.W.: 1.4/1.5 kgs Container loading: 20GP/40GP/40HQ = 3220/6510/7630 pcs

[View more >](#)



High quality electric grass trimmer GTLD02C

1,Voltage/Frequency: 230-240V~/50Hz 2,Rated power: 500W 3,motor Style: Brush motor; Material of motor wire: Cu 4,No-load speed: 10500min-1 5, Cutting diameter: 28cm 6,Cutting system: Tap & go 7, Line diameter: Ø1.2mm 2x3m length line 8, Telescope tube 9,VDE plug+0.35m cable Package carton size: 1020x215x120mm/pc 1045x270x450mm/ 4pcs N.W/G.W: 11.5 / 12.5 kgs Load Q'ty 20' /40" /40"HQ: 880/1892/2200 pcs

[View more >](#)

Grass trimmer



TradeCHINA

High quality electric grass trimmer GTLD05A

1,Voltage/Frequency: 230-240V~/50Hz 2,Rated power: 250W 3,motor Style: Brush motor; Material of motor wire: Cu 4,No-load speed: 10500 min-1 5, Cutting diameter: 23 cm 6,Cutting system: Tap & go 7,Line diameter: Ø1.2mm 2x3m length line 8,VDE plug+0.35m cable Package carton size: 430x120x220mm/pc 880x260x460mm/ 8pcs N.W/G. W: 13.6 / 15.4 kgs Load Q'ty 20' /40" /40"HQ: 1920 /4160/4680 pcs

[View more >](#)



TradeCHINA

High quality electric grass trimmer GTLD06A

1,Voltage/Frequency: 230-240V~/50Hz 2,Rated power: 350W 3,Motor type: Brush motor; Material of motor wire: Cu 4,No-load speed: 10500 min-1 5, Cutting diameter: 27 cm 6,Cutting system: Tap & go 7,Line diameter: Ø1.2mm 2x3m length line 8, Telescope tube 9,VDE plug+0.35m cable Package carton size: 450x245x135mm/pc 930x280x500mm/ 8pcs N.W/G.W: 13.5 / 16.9 kgs Load Q'ty 20' /40" /40" HQ: 1792/3744/4160 pcs

[View more >](#)

Electric lawn mower



1200W electric lawn mower S1232ER

Electric grass lawn mower Power: 1200 W; 230-240V/50Hz Cutting width: 32cm Cutting height: 20-60 mm, 5 levels. Grass catcher: 30 L Carton size: 61x40x33.5 cm N.W./G.W.: 9.8/11.2 kgs Container loading: 20GP/40GP/40HQ = 304/636/742 pcs

[View more >](#)



1000W electric lawn mower GERM32

Electric grass lawn mower Power: 1000 W; 230-240V/50Hz Dual safety switch Cutting width: 32cm Cutting height: 20/45/65 mm, 3 levels. Grass catcher: solid plastic box, 30 L Carton size: 58x35x27.5 cm N.W./G.W.: 9.5/10.2 kgs Container loading: 20GP/40GP/40HQ = 512/1056/1188 pcs

[View more >](#)

Hedge trimmer

High quality electric hedge trimmer HTLD07C-610



1,Voltage/Frequency: 230-240V~/50Hz 2,Rated power: 710W 3,motor Style: Brush motor; Material of motor wire: Cu 4,No-load speed: 1700min-1 5, Cutting width: 24mm 6,Cutting length: 610mm 7, With machnical brake 8,With TPR & rotary handle 9, With Aluminium press bar 10,VDE plug+0.35m cable
Package carton size: 1170*195*223(540)mm/pc
1190*295*415mm/4pcs N.W/G.W: 19.20kgs Load
Q'ty 20' /40" /40"HQ: 716/1560/1800 pcs

TradeCHINA

[View more >](#)

High quality electric hedge trimmer HTLD08B-510



1,Voltage/Frequency: 230-240V~/50Hz 2,Rated power: 650W 3,Motor type: Brush motor; Material of motor wire: Cu 4,No-load speed: 1700min-1 5, Cutting width: 24mm 6,Cutting length: 510mm 7, With electrical brake 8,With normal handle 9,With Aluminium press bar 10,VDE plug+0.35m cable
Package carton size: 1000*190*200mm/pc
1030x280x405mm/4pcs N.W/G.W: 14.5/ 17kg Load
Q'ty 20' /40" /40"HQ: 956/2000/2376 pcs

TradeCHINA

[View more >](#)

Hedge trimmer

High quality electric hedge trimmer HTLD09B-450



1,Voltage/Frequency: 230-240V~/50Hz 2,Rated power: 450W 3,Motor type: Brush motor; Material of motor wire: Cu 4,No-load speed: 1600min-1 5, Cutting width: 24mm 6,Cutting length: 450mm 7, With electrical brake 8,With normal handle 9,With steel press bar 10,VDE plug+0.35m cable Package carton size: 900*145*185mm/pc 920x250x315mm /4pcs N.W/G.W: 13.2/ 14kg Load Q'ty 20' /40" /40" HQ: 1512/3192/3640 pcs

TradeCHINA

[View more >](#)

High quality electric hedge trimmer HTLD12B-610



1,Voltage/Frequency: 230-240V~/50Hz 2,Rated power: 750W 3,Motor type: Brush motor; Material of motor wire: Cu 4,No-load speed: 1600min-1 5, Cutting width: 24mm 6,Cutting length: 610mm 7, With mechanical brake 8,With TPR & rotary handle 9, With Aluminium press bar 10,VDE plug+0.35m cable Package carton size: 1170x206x228mm/ pc 1195x300x435mm/4pcs N.W/G.W: 20/ 21.5kg Load Q'ty 20' /40" /40"HQ: 648/1428/1668 pcs

TradeCHINA

[View more >](#)

Hedge trimmer

High quality electric hedge trimmer HTLD14E-510



1,Voltage/Frequency: 230-240V~/50Hz 2,Rated power: 600W 3,Motor type: Brush motor; Material of motor wire: Cu 4,No-load speed: 1700min-1 5, Cutting width: 24mm 6,Cutting length: 510mm 7, With electric brake 8,With TPR & rotary handle 9, With Aluminium press bar 10,VDE plug+0.35m cable
Package carton size: 1000x205x190(480)mm/pc
1020x260x430mm/4pcs N.W/G.W: 15.5 / 17kg Load
Q'ty 20' /40" /40"HQ: 964/2008/2376 pcs

TradeCHINA

[View more >](#)

High quality electric hedge trimmer HTLD17C-450



1,Voltage/Frequency: 230-240V~/50Hz 2,Rated power: 520W 3,Motor type: Brush motor; Material of motor wire: Cu 4,No-load speed: 1700min-1 5, Cutting width: 24mm 6,Cutting length: 450mm 7, With electric brake 8,With normal handle 9,With steel press bar 10,VDE plug+0.35m cable
Package carton size: 900x145x175mm/ pc; 926x235x315mm /4pcs N.W/G.W: 10 / 11 kgs Load
Q'ty 20' /40" /40" HQ: 1552/3260/3800 pcs

TradeCHINA

[View more >](#)

Electric tiller



WR8020-800-P-360H0 Electric Cultivator (tiller)

1.Certificate CE/GS/EMC/ROHS 2.Description 800W/360mm tiller 3.Voltage/Frequency 230V /50Hz 4.Input power 800W(copper motor) 5.No-load speed(rpm) 380 6.Blade counts(pcs) 4*4 Integrated 7.Working width (mm) 360 8.Blade diameter (mm) 205 9.Working depth (mm) 220 10.Hand shank type H bicycle handle 11.Brake type Electronic brake 12.Cable specifications HO5VV-F 2*0.75mm, 0.35m Cable VDE Plug 13. Wheel NO 14.Product size(mm) 330*360*1400 15. Product weight(kg): 7.4 Carton dimension: 505x385x305 mm Container loading: 20GP/40GP /40HQ= 460/976/1110 pcs

[View more >](#)



WR8020-1200-S-400H1 Electric Cultivator (tiller)

1.Certificate CE/GS/EMC/ROHS 2.Description 1200W/400mm tiller 3.Voltage/Frequency 230V /50Hz 4.Input power 1200W(copper motor) 5.No-load speed(rpm) 380 6.Blade counts(pcs) 6*4 Integrated 7.Working width (mm) 400 8.Blade diameter (mm) 205 9.Working depth (mm) 220 10.Hand shank type H bicycle handle 11.Brake type Electronic brake 12.Cable specifications HO5VV-F 2*0.75mm, 0.35m Cable VDE Plug 13. Wheel 2 wheels,2-Position N.W/G.W: 10/11.7 kgs Carton dimension: 1000*405*1020 Container loading: 20GP/40GP/40HQ= 413/855/1010 pcs

[View more >](#)

Electric tiller



WR8025-1500-S-450H1 Electric Cultivator (tiller) garden tiller

1.Certificate CE/GS/EMC/ROHS 2.Description 1500W/450mm tiller 3.Voltage/Frequency 230V/50Hz 4.Input power 1500W(copper motor) 5.No-load speed(rpm) 380 6.Blade counts(pcs) 6*4 Integrated 7.Working width (mm) 450 8.Blade diameter (mm) 205 9.Working depth (mm) 220 10.Hand shank type H bicycle handle 11.Brake type Electronic brake 12.Cable specification: H05VV-F 2*1.0mm, 0.35m Cable VDE Plug 13.Wheel 2 wheels, 2-Position Carton dimension: 1000*405*1020 Container loading: 20GP/40GP /40HQ= 332/696/796 pcs

[View more >](#)

Electric scarifier



WR6005-1500 Electric scarifier

1.Certificate CE/GS/EMC/ROHS 2.Description 1500W/320mm scarifier 3.Voltage/Frequency 230V /50Hz 4.Input power 1500W COPPER MOTOR 5. No-load speed(rpm) 3000 6.Blade counts(pcs) 16 7.Steel tines(pcs) 20 8.Front wheels(mm) ϕ 180 9. Rear wheels(mm) ϕ 100 10.Working width(mm) 320 11.Working depth mm) 4(-12/-8/-4/+4) 12. Collection bag (L) 30 13.Hand shank type U type annular 14.Height adjustment 4 position Central adjustment 15.Angle adjustment 16. Foldable handle Normal knob 17.Central carrying handle Yes 18.Tool-free change blade&spring 19.Cable specifications H05VV-F 2*1.0MM², 0.35m

[View more >](#)



WR6026-1800Q Electric scarifier

1.Certificate CE/GS/EMC/ROHS 2.Description 1800W/380mm scarifier 3.Voltage/Frequency 230V /50Hz 4.Input power 1800W COPPER MOTOR 5. No-load speed(rpm) 3500 6.Blade counts(pcs) 16 7.Steel tines(pcs) 24 8.Front wheels(mm) ϕ 200 9. Rear wheels(mm) ϕ 150 10.Working width(mm) 380 11.Working depth mm) 5(-12/-9/-6/-3/+6) 12. Collection bag(L) 45 13.Hand shank type Steel wire trigger 14.Height adjustment 5 position Central adjustment 15.Angle adjustment 3 position 16.Foldable handle Quick change knob 17. Central carrying handle Yes 18.Tool-free change blade&spring Optional 19.Cable specifications

[View more >](#)

Electric scarifier



WR6007-200Q Electric scarifier

1.Certificate CE/GS/EMC/ROHS 2.Description 1800W/400mm scarifier 3.Voltage/Frequency 230V /50Hz 4.Input power 1800W COPPER MOTOR) 5. No-load speed(rpm) 3500 6.Blade counts(pcs) 20 7.Steel tines(pcs) 24 8.Front wheels(mm) ϕ 180 9. Rear wheels(mm) ϕ 150 10.Working width(mm) 400 11.Working depth mm) 5(-12/-9/-6/-3/+6) 12. Collection bag (L) 55 13.Hand shank type Steel wire trigger 14.Height adjustment 5 position Central adjustment 15.Angle adjustment 3 position 16.Foldable handle Quick change knob 17. Central carrying handle Yes 18.Tool-free change blade & spring Optional 19.Cable specifications

[View more >](#)



WR6017-200Q Electric scarifier

1.Certificate CE/GS/EMC/ROHS 2.Description 2000W/400mm scarifier 3.Voltage/Frequency 230V /50Hz 4.Input power 2000W COPPER MOTOR) 5. No-load speed(rpm) 3500 6.Blade counts(pcs) 20 7.Steel tines(pcs) 24 8.Front wheels(mm) ϕ 180 9. Rear wheels(mm) ϕ 150 10.Working width(mm) 400 11.Working depth mm) 5(-12/-9/-6/-3/+6) 12. Collection bag (L) 55 13.Hand shank type Steel wire trigger 14.Height adjustment 5 position Central adjustment 15.Angle adjustment 3 position 16.Foldable handle Quick change knob 17. Central carrying handle Yes 18.Tool-free change blade&spring Optional 19.Cable specifications

[View more >](#)

Snow thrower



WR2002-2300-500L3 Electric snow thrower

1.Certificate CE/GS/EMC/ROHS 2.Description ELECTRIC SNOW THROWER 3.Voltage/Frequency 230V~50Hz 4.Input power 2300W(copper motor) 5. No-load speed(rpm) 3000 6.Working width(mm) 500 7.Working depth(mm) 250 8.Impeller diameter (mm) $\phi 172$ 9.Throwing distance(m) 9 10. Throwing angle Horizontal 180° Vertical 15-60° 11.Led light 2pcs,100LM 12.Handle bar steel wire trigger 13.Wheel dual color $\phi 180$ mm 14.Rod folded Yes 15.Over load protection with manual restart 16.Cable/Plug HO5RN-F2*1.0mm,0.35m cable, VDE plug 17.Product size(mm) 415*360*940 N.W/G.W(kg) 13.3/16.2 Carton dimension:

[View more >](#)

Thermal weeder

High quality electric thermal weeder DT4000



TradeChina

1, Voltage: 220V-240V~/50Hz 2, Input Power: 2000W
3, Two temperature settings: I: 50°C, 500L/min (cooling) II: 600°C, 500L/min 4, Air flow: 500 L/min 5, Simply destroy weeds by heating within 5 seconds with no chemicals 6, With support-arm for easy one hand operation. 7, Aluminum tube can be quickly assembled and disassembled 8, Cable: H05RN-F 2x1.0mm² with VDE plug, length: 1.8m Package carton size: 395x85x170mm/ 1pc ; 445x410x530/15pcs N.W /G.W: 0.95/1.2 kgs ; 18/19 kgs Load Q'ty 20' /40" /40" HQ: 4200/8400/10500 pcs

[View more >](#)

High quality electric thermal weeder DT4001



TradeChina

1. Voltage: 220V-240V~/50Hz 2. Input Power: 2000W
3. Two temperature settings: I: 50°C, 500L/min (cooling) II: 600°C, 500L/min 4. Air flow: 500L/min 5. Simply destroy weeds by heating within 5 seconds without chemicals. 6. Aluminum tube can be quickly assembled and disassembled 7. Cable: H05RN-F 2x1.0mm² with VDE plug, length: 1.8m Package carton size: 395x85x130mm/ 1pc 410x360x540/16pcs N.W/G. W: 0.95/1.2 kgs ; 19.2/20.5 kgs Load Q'ty 20' /40" /40" HQ: 5632/11264/13312 pcs

[View more >](#)

Electric multi-brush



High quality electric multi-brush DT3005A (single speed)

1, Voltage: 230V-240V~, 50Hz 2, Input power: 500W 3, No-load speed: 750~1300/min (Variable speed function) 4, Robust nylon roller brush for treating stone surfaces Ø 100 mm, 160mm wide 5, Joint cleaning with wire brush and Nylon brush; Ø 100 mm 6, Guiding wheel and sight line for precise steering of the device; 7, Easy and no-tool quick replace brush 8, Ø28mm Aluminum tube adjustable in height to be adapted to the individual body height (Telescopic range 29cm) 9, Auxiliary handle with adjusted angle function 10, Main handle with soft grip; 11, Cable: H05VV-F 2x0.75mm², with VDE plug, length 35cm 12, Main handle and housing material:

[View more >](#)



High quality electric multi-brush DT3005 (variable speed)

1, Voltage: 230V-240V~, 50Hz 2, Input power: 500W 3, No-load speed: 750~1300/min (Variable speed function) 4, Robust nylon roller brush for treating stone surfaces Ø 100 mm, 160mm wide 5, Joint cleaning with wire brush and Nylon brush; Ø 100 mm 6, Guiding wheel and sight line for precise steering of the device; 7, Easy and no-tool quick replace brush 8, Ø28mm Aluminum tube adjustable in height to be adapted to the individual body height (Telescopic range 29cm) 9, Auxiliary handle with adjusted angle function 10, Main handle with soft grip; 11, Cable: H05VV-F 2x0.75mm², with VDE plug, length 35cm 12, Main handle and housing

[View more >](#)



Yuyao Runye Tools Co.,Ltd

 Company Website :

 Contact Information: 15888097913

 Contact Person: MICHELLE